



# ISUZU

## POWER SOLUTIONS



MADE TO STOCK  
— POWER UNITS —

Available from:

# Diesel Parts & Service

# Reliable. Efficient. Legendary

## SPECIFICATIONS

Model	Type	Cyl	Disp	Max Tor Nm	Bellhousing Flywheel	Weight kg
2CA1AZP01	MECHANICAL	2	0.6L	30 at 2600	SAE6 X 7.5	160
3CA1AZP01	MECHANICAL	3	0.9L	49 at 2600	SAE6 X 7.5	175
3CB1CZP01	MECHANICAL	3	1.1L	64 at 2300	SAE5 X 7.5	190
3CE1BDZP2	MECHANICAL	3	1.6L	103 at 1800	SAE5 X 7.5	230
4BG1PW	MECHANICAL	4	4.3L	304 at 1600	SAE3 X 10	585
4BG1TRW01	MECHANICAL	4	4.3L	311 at 1600	SAE3 X 10	580
4BG1TRW	MECHANICAL	4	4.3L	387 at 2000	SAE3 X 10	580
6BG1QW	MECHANICAL	6	6.5L	412 at 1500	SAE3X 11.5	610
6BG1TRW02	MECHANICAL	6	6.5L	554 at 1800	SAE3 X 11.5	640
4JG1TPW01	MECHANICAL	4	3.1L	263 at 1800	SAE4 X 10	360
4JJ1TYBW01	COMMON RAIL	4	3.0L	280 at 1800	SAE3 X 10/11.5	510
4JG1PK	MECHANICAL	4	3.1L	195 at 1800	SAE4 X 10	350
4JJ1XYBW01	COMMON RAIL	4	3.0L	408 at 1800	SAE3 X 10/11.5	570
4LE1NYBW02	MECHANICAL	4	2.2L	140 at 1800	SAE4 X 10	260
4LE1TYBW01	MECHANICAL	4	2.2L	180 at 1800	SAE4 X 10	325
4LE2PW10	MECHANICAL	4	2.2L	143 at 2250	SAE4 X 10	280
4HK1XYBW02	COMMON RAIL	4	5.2L	686 at 1500	SAE3 X 10/11.5	730
6HK1XYBW02	COMMON RAIL	6	7.8L	1125 at 1500	SAE2 X 11.5	980
6UZ1XYBW01	COMMON RAIL	6	9.8L	1435 at 1500	SAE1 X 14	1400
6WG1XYBW01	COMMON RAIL	6	15.7L	2250 at 1500	SAE1 X 14	1900

### Standard Inclusions:

- Heavy duty cooling package featuring all Aluminium bar and plate construction (50°C + rated).
- Engine Controller PRO with IP65 rating for complete monitoring and protection.
- Industrial grade exhaust system.
- Premium Donaldson air cleaner with air filter service indicator.
- Australian designed and manufactured skid and engine mountings.
- Premium adjustable mechanical or electronic throttle.

### Available Options:

- Heat exchanged cooling packages.
- Heavy duty dual element air cleaner systems.
- Premium pressure transducer range.
- 4G remote monitoring and control kit.
- Low coolant alarm protection kit.
- 160 watt solar battery charging kit.



### Key Features and Benefits

- Genuine Japanese made Isuzu engine.
- Low fuel consumption, low noise, low maintenance.
- Reliable power you can depend on.
- Suits a wide variety of applications
- Dealer Supported Australia wide



## Continuous HP ratings

MODEL	1300	1400	1500	1600	1700	1800	2000	2200	2400	2500	2600	2800	3000	3200	3400	3600
2CA1AZP01											9.5	10.2	10.8	11.1	11.4	11.4
3CA1AZP01									14.0	14.7	15.3	16.4	17.1	17.8	18.4	18.9
3CB1CZP01							15.6	17.0	18.4	19.1	19.7	20.7	21.5			
3CE1BDZP2						22.4	24.6	26.5	28.1	28.7	29.2	30.3	31.5			
4BG1PW			53.2	56.7	59.7	62.3	66.9	70.7	73.3	73.7						
4BG1TRW01			53.2	56.7	59.7	62.3	64.8	70.7	73.3	73.7						
4BG1TRW					76.7	83.2	94.7	102.7		106.5						
6BG1QW			75.3	80.2	84.7	88.7	96.0	102.5		107.0						
6BG1TRW02				102.6	112.8	121.6	134.3	142.0								
4JG1TPW01					53.5	57.3	63.9	68.6	71.9	73.7						
4JJ1TYBW01			50.6	54.5	58.0	61.3	66.6	69.8	70.9	70.9						
4JG1PK					39.5	41.2	45.7	49.6	52.2	53.5	53.9					
4JJ1XYBW01					80.9	87.8	99.3	106.6		110.8						
4LE1NYBW02					29.1	30.7	33.7	31.2	35.1	38.5	41.8					
4LE1TYBW01					37.2	39.4	43.7	47.7	51.2	52.6						
4LE2PW10							34.6	38.4	40.9	41.8	42.5	43.3	44.6			
6HK1TQC01																
6HK1XQP03																
4HK1XYBW02			124.8	134.2	142.3	149.3	163.0									
6HK1XYBW03		183.3	204.0	220.4	231.8	239.1	247.4									
6UZ1-XYBW01		236.4	259.9	279.3	293.6	303.5										
6WG1-XYBW01	325.9	368.5	407.5	438.3	457.1	462.4										

Isuzu Made to Stock (MTS) power units are supplied ready to work, which means you can put them straight into action from day one.

MTS power units have been designed and rigorously tested to operate in a variety of applications and conditions - from pumping water to driving hydraulics systems. The units are available in a range of configurations and power outputs. And each one is put through its paces before being delivered to customers, ensuring performance and reliability.



**Reliable. Efficient. Legendary**

### 2CA1AZP01



rpm	Cont hp
2600	9.5
2700	9.8
2800	10.2
2900	10.5
3000	10.8
3200	11.1
3400	11.4
3600	11.4

### 3CA1AZP01



rpm	Cont hp
2300	13.4
2500	14.7
2600	15.3
2800	16.4
3000	17.1
3200	17.8
3400	18.4
3600	18.9

### 3CB1CZP01



rpm	Cont hp
2000	15.6
2200	17.8
2400	18.4
2600	19.7
2800	20.7
3000	21.5
3100	21.7

### 3CE1BDZP2



rpm	Cont hp
1800	22.4
2000	24.6
2200	26.5
2300	27.4
2400	28.1
2600	29.2
2800	30.3
3000	31.5

### 4LE1NYBW02



rpm	Cont hp
1700	29.1
1800	30.7
2000	33.7
2100	30.5
2200	31.2
2300	32.9
2400	35.1
2600	41.8

### 4LE1NYBW05



rpm	Cont hp
1700	29.1
1800	30.7
2000	33.7
2100	30.5
2200	31.2
2300	32.9
2400	35.1
2600	41.8

## Reliable. Efficient. Legendary

The Isuzu Made to Stock power units range offers a collection of powerful, meticulously engineered units that come ready to work for a variety of industry



### 4LE1TYBW01



rpm	Cont hp
1700	37.2
1800	39.4
2000	43.7
2100	45.8
2200	47.7
2300	49.6
2400	51.2
2500	52.6

### 4LE2PW10



rpm	Cont hp
1900	32.5
2000	34.6
2100	36.5
2200	38.4
2400	40.9
2600	42.5
2800	43.3
3000	44.6

### 4JG1PK



rpm	Cont hp
1700	39.5
1800	41.2
2000	45.7
2100	47.9
2200	49.6
2300	50.5
2400	52.2
2600	53.9

### 4JJTYBW01



rpm	Cont hp
1500	50.6
1600	54.5
1800	61.3
2000	66.6
2100	68.5
2200	69.8
2300	70.6
2500	70.9

### 4JG1TPW01



rpm	Cont hp
1700	53.5
1800	57.3
2000	63.9
2100	66.4
2200	68.6
2300	70.3
2400	71.9
2500	73.7

### 4BG1PW



rpm	Cont hp
1500	53.2
1600	56.7
1800	62.3
2000	66.9
2100	68.9
2200	70.7
2300	72.3
2500	73.7



## Reliable. Efficient. Legendary

The Isuzu Made to Stock power units range offers a collection of powerful, meticulously engineered units that come ready to work for a variety of industry



**4BG1TRW01**

rpm	Cont hp
1500	53.2
1600	56.7
1800	62.3
2000	66.9
2100	68.9
2200	70.7
2300	72.3
2500	73.7

**4BG1TRW**

rpm	Cont hp
1700	76.7
1800	83.2
2000	94.7
2100	99.3
2200	102.7
2300	105.0
2400	106.1
2500	106.5

**6BG10W**

rpm	Cont hp
1500	75.3
1600	80.2
1800	88.7
2000	96.0
2100	99.4
2200	102.5
2300	105.1
2500	107.0

**4JJXYBW01/02**

rpm	Cont hp
1700	80.9
1800	87.8
1900	93.9
2000	99.3
2200	106.6
2300	108.6
2400	109.8
2500	110.8

**6BG1TRW02**

rpm	Cont hp
1600	102.6
1700	112.8
1800	121.6
1900	128.8
2000	134.3
2100	138.3
2200	142.0

**4HKXYBW02**

rpm	Cont hp
1500	124.8
1600	134.2
1700	142.3
1800	149.3
1900	155.9
2000	163.0
2100	171.7

## Reliable. Efficient. Legendary

The Isuzu Made to Stock power units range offers a collection of powerful, meticulously engineered units that come ready to work for a variety of industry



### 6HK1XYBW02



### 6UZ1XYBW01



### 6WG1XYBW01



rpm	Cont hp
1400	183.3
1500	204.0
1600	220.4
1700	231.8
1800	239.1
1900	243.5
2000	247.4


rpm	Cont hp
1400	236.4
1500	259.9
1600	279.3
1700	293.6
1800	303.5
1900	311.3

rpm	Cont hp
1300	325.9
1400	368.5
1500	407.5
1600	438.3
1700	457.1
1800	462.4



## Reliable. Efficient. Legendary

The Isuzu Made to Stock power units range offers a collection of powerful, meticulously engineered units that come ready to work for a variety of industry



## **Diesel Parts & Service**

**Phone: 07 3640 9400**

**info@ dieselparts.com.au**

**www.dieselparts.com.au**